


Anti-Splash Floor Troughs



Model ASDT-1848

Keep Water And Liquids Draining Freely While Preventing Floor Splash

FEATURES

- 60° bend prevents splash by guiding waste water to inner corners of trough
- 14-gauge heavy-duty Type-304 stainless steel all-welded construction
- All seams welded and polished to match adjacent finish
- Unique grout locking holes around flange perimeter
- 3½" (89) diameter drain connection
- Units 96" (2438) and larger have 2 drains
- Removable perforated stainless steel basket strainer
- Non-slip heavy-duty fiberglass Safe-T-Span® ADA-compliant tread grating
- Stainless steel anchor straps
- Floor trough pitched 1" (25) to center drain
- 6" (152) standard depth
- NSF listed, made in U.S.A.

BENEFITS

- Prevents free standing water
- Minimizes slips and falls



Featured In



AutoQuotes KCL CADalog

Made To Drain

4900 W. Electric Avenue • West Milwaukee, WI 53219


Sales & Service: (P) 866.895.7264 • (F) 414.902.6564 • info@madetodrain.com

madetodrain.com


Anti-Splash Floor Troughs

SPECIFICATIONS

Floor modules are to be constructed of 14-gauge Type-304 stainless steel; designed in compliance with all applicable NSF/ANSI 2 standards. Trough pans have continuous welded heavy duty construction with all exposed welds ground and polished to match adjacent finish. Trough pan has 60° bend to reduce splash back onto floor or equipment. The floor trough pan is pitched 1" (25) to an integral recessed sump drain that includes 6" (152) diameter removable stainless steel strainer basket with 3½" (89) O.D. waste pipe connection (trough lengths 96" [2438] and above supplied with two drains). Trough contains unique grout locking holes spaced every 1 3/8" (35) around outside perimeter. Troughs are supplied with light-weight removable Safe-T-Span® anti-slip reinforced fiberglass tread grate(s) with 40% open area. Grates are non-conductive, corrosion-resistant, fire-retardant, ADA-compliant and NSF Standard 61 certified.



TYPICAL ASDT FLOOR TROUGH SLAB ON GRADE INSTALLATION



Anti-Splash Floor Troughs

SALES & SERVICE: (P) 866.895.7264 • (F) 414.902.6564

MODEL INFORMATION

MODEL	WIDTH		LENGTH		# OF GRATES	MODEL	WIDTH		LENGTH		# OF GRATES	GRATES
	W1	W2	L1	L2			W1	W2	L1	L2		
ASDT-1220	12 7/8"	14 3/4"	21 3/4"	23 5/8"	1	ASDT-1896	18 7/8"	20 3/4"	97 1/2"	99 3/8"	5	
	(327)	(375)	(552)	(600)			(479)	(527)	(2477)	(2524)		
ASDT-1224	12 7/8"	14 3/4"	26 1/2"	28 3/8"	2	ASDT-18100	18 7/8"	20 3/4"	100 1/2"	102 3/8"	5	
	(327)	(375)	(673)	(721)			(479)	(527)	(2553)	(2600)		
ASDT-1230	12 7/8"	14 3/4"	29 1/2"	31 3/8"	2	ASDT-18108	18 7/8"	20 3/4"	109 3/4"	111 5/8"	6	
	(327)	(375)	(749)	(797)			(479)	(527)	(2788)	(2835)		
ASDT-1236	12 7/8"	14 3/4"	37"	38 7/8"	2	ASDT-18120	18 7/8"	20 3/4"	120 3/16"	122 1/16"	6	
	(327)	(375)	(940)	(987)			(479)	(527)	(3053)	(3100)		
ASDT-1240	12 7/8"	14 3/4"	41 7/16"	43 5/16"	2	ASDT-18140	18 7/8"	20 3/4"	139 7/8"	141 3/4"	7	
	(327)	(375)	(1053)	(1100)			(479)	(527)	(3553)	(3600)		
ASDT-1242	12 7/8"	14 3/4"	43 1/4"	45 1/8"	3	ASDT-2420	24 7/8"	26 3/4"	21 3/4"	23 5/8"	1	
	(327)	(375)	(1099)	(1449)			(632)	(679)	(552)	(600)		
ASDT-1248	12 7/8"	14 3/4"	49 3/16"	51 1/16"	3	ASDT-2424	24 7/8"	26 3/4"	26 9/16"	28 3/8"	2	
	(327)	(375)	(1249)	(1297)			(632)	(679)	(675)	(721)		
ASDT-1254	12 7/8"	14 3/4"	55 3/16"	57 1/16"	3	ASDT-2430	24 7/8"	26 3/4"	29 1/2"	31 3/8"	2	
	(327)	(375)	(1402)	(1449)			(632)	(679)	(749)	(797)		
ASDT-1260	12 7/8"	14 3/4"	61 1/8"	63"	3	ASDT-2436	24 7/8"	26 3/4"	37"	38 7/8"	2	
	(327)	(375)	(1553)	(1600)			(632)	(679)	(940)	(987)		
ASDT-1272	12 7/8"	14 3/4"	73 3/8"	75 1/4"	4	ASDT-2440	24 7/8"	26 3/4"	41 7/16"	43 5/16"	2	
	(327)	(375)	(1864)	(1911)			(632)	(679)	(1053)	(1100)		
ASDT-1280	12 7/8"	14 3/4"	80 13/16"	82 11/16"	4	ASDT-2442	24 7/8"	26 3/4"	43 1/4"	45 1/8"	3	
	(327)	(375)	(2053)	(2100)			(632)	(679)	(1099)	(1449)		
ASDT-1284	12 7/8"	14 3/4"	85 5/8"	87 1/2"	5	ASDT-2448	24 7/8"	26 3/4"	49 1/4"	51 1/16"	3	
	(327)	(375)	(2175)	(2223)			(632)	(679)	(1251)	(1297)		
ASDT-1296	12 7/8"	14 3/4"	97 1/2"	99 3/8"	5	ASDT-2454	24 7/8"	26 3/4"	55 3/16"	57 1/16"	3	
	(327)	(375)	(2477)	(2524)			(632)	(679)	(1402)	(1449)		
ASDT-12100	12 7/8"	14 3/4"	100 1/2"	102 3/8"	5	ASDT-2460	24 7/8"	26 3/4"	61 1/8"	63"	3	
	(327)	(375)	(2553)	(2600)			(632)	(679)	(1553)	(1600)		
ASDT-12108	12 7/8"	14 3/4"	109 3/4"	111 5/8"	6	ASDT-2472	24 7/8"	26 3/4"	73 3/8"	75 1/4"	4	
	(327)	(375)	(2788)	(2835)			(632)	(679)	(1864)	(1911)		
ASDT-12120	12 7/8"	14 3/4"	120 3/16"	122 1/16"	6	ASDT-2480	24 7/8"	26 3/4"	80 13/16"	82 11/16"	4	
	(327)	(375)	(3053)	(3100)			(632)	(679)	(2053)	(2100)		
ASDT-12140	12 7/8"	14 3/4"	139 7/8"	141 3/4"	7	ASDT-2484	24 7/8"	26 3/4"	85 5/8"	87 1/2"	5	
	(327)	(375)	(3553)	(3600)			(632)	(679)	(2175)	(2223)		
ASDT-1820	18 7/8"	20 3/4"	21 3/4"	23 5/8"	1	ASDT-2496	24 7/8"	26 3/4"	97 1/2"	99 3/8"	5	
	(479)	(527)	(552)	(600)			(632)	(679)	(2477)	(2524)		
ASDT-1824	18 7/8"	20 3/4"	26 9/16"	28 3/8"	2	ASDT-24100	24 7/8"	26 3/4"	100 1/2"	102 3/8"	5	
	(479)	(527)	(675)	(721)			(632)	(679)	(2553)	(2600)		
ASDT-1830	18 7/8"	20 3/4"	29 1/2"	31 3/8"	2	ASDT-24108	24 7/8"	26 3/4"	109 3/4"	111 5/8"	6	
	(479)	(527)	(749)	(797)			(632)	(679)	(2788)	(2835)		
ASDT-1836	18 7/8"	20 3/4"	37"	38 7/8"	2	ASDT-24120	24 7/8"	26 3/4"	120 3/16"	122 1/16"	6	
	(479)	(527)	(940)	(987)			(632)	(679)	(3053)	(3100)		
ASDT-1840	18 7/8"	20 3/4"	41 7/16"	43 5/16"	2	ASDT-24140	24 7/8"	26 3/4"	139 7/8"	141 3/4"	7	
	(479)	(527)	(1053)	(1100)			(632)	(679)	(3553)	(3600)		
ASDT-1842	18 7/8"	20 3/4"	43 1/4"	45 1/8"	3	ASDT-3020	30 7/8"	32 3/4"	21 3/4"	23 5/8"	1	
	(479)	(527)	(1099)	(1449)			(784)	(832)	(552)	(600)		
ASDT-1848	18 7/8"	20 3/4"	49 1/4"	51 1/16"	3	ASDT-3024	30 7/8"	32 3/4"	26 9/16"	28 3/8"	2	
	(479)	(527)	(1251)	(1297)			(784)	(832)	(675)	(721)		
ASDT-1854	18 7/8"	20 3/4"	55 3/16"	57 1/16"	3	ASDT-3030	30 7/8"	32 3/4"	29 1/2"	31 3/8"	2	
	(479)	(527)	(1402)	(1449)			(784)	(832)	(749)	(797)		
ASDT-1860	18 7/8"	20 3/4"	61 1/8"	63"	3	ASDT-3036	30 7/8"	32 3/4"	37"	38 7/8"	2	
	(479)	(527)	(1553)	(1600)			(784)	(832)	(940)	(987)		
ASDT-1872	18 7/8"	20 3/4"	73 3/8"	75 1/4"	4	ASDT-3040	30 7/8"	32 3/4"	41 7/16"	43 5/16"	2	
	(479)	(527)	(1864)	(1911)			(784)	(832)	(1053)	(1100)		
ASDT-1880	18 7/8"	20 3/4"	80 13/16"	82 11/16"	4	ASDT-3042	30 7/8"	32 3/4"	43 1/4"	45 1/8"	3	
	(479)	(527)	(2053)	(2100)			(784)	(832)	(1099)	(1143)		
ASDT-1884	18 7/8"	20 3/4"	85 5/8"	87 1/2"	5	ASDT-3048	30 7/8"	32 3/4"	49 1/4"	51 1/16"	3	
	(479)	(527)	(2175)	(2223)			(784)	(832)	(1251)	(1297)		

more models ->

Anti-Splash Floor Troughs

PROJECT #: _____

ITEM #: _____

MODEL INFORMATION *(continued)*

MODEL	WIDTH		LENGTH		# OF GRATES
	W1	W2	L1	L2	
ASDT-3054	30 7/8"	32 3/4"	55 3/16"	57 1/16"	3
	(784)	(832)	(1402)	(1449)	
ASDT-3060	30 7/8"	32 3/4"	61 1/8"	63"	3
	(784)	(832)	(1553)	(1600)	
ASDT-3072	30 7/8"	32 3/4"	73 3/8"	75 1/4"	4
	(784)	(832)	(1864)	(1911)	
ASDT-3080	30 7/8"	32 3/4"	80 13/16"	82 11/16"	4
	(784)	(832)	(2053)	(2100)	
ASDT-3084	30 7/8"	32 3/4"	85 5/8"	87 1/2"	5
	(784)	(832)	(2175)	(2223)	
ASDT-3096	30 7/8"	32 3/4"	97 1/2"	99 3/8"	5
	(784)	(832)	(2477)	(2524)	
ASDT-30100	30 7/8"	32 3/4"	100 1/2"	102 3/8"	5
	(784)	(832)	(2553)	(2600)	
ASDT-30108	30 7/8"	32 3/4"	109 3/4"	111 5/8"	6
	(784)	(832)	(2788)	(2835)	
ASDT-30120	30 7/8"	32 3/4"	120 3/16"	122 1/16"	6
	(784)	(832)	(3053)	(3100)	
ASDT-30140	30 7/8"	32 3/4"	139 7/8"	141 3/4"	7
	(784)	(832)	(3553)	(3600)	
ASDT-3620	36 7/8"	38 3/4"	21 3/4"	23 5/8"	1
	(937)	(984)	(552)	(600)	
ASDT-3624	36 7/8"	38 3/4"	26 9/16"	28 3/8"	2
	(937)	(984)	(675)	(721)	
ASDT-3630	36 7/8"	38 3/4"	29 1/2"	31 3/8"	2
	(937)	(984)	(749)	(797)	
ASDT-3636	36 7/8"	38 3/4"	37"	38 7/8"	2
	(937)	(984)	(940)	(987)	

MODEL	WIDTH		LENGTH		# OF GRATES
	W1	W2	L1	L2	
ASDT-3640	36 7/8"	38 3/4"	41 7/16"	43 5/16"	2
	(937)	(984)	(1053)	(1100)	
ASDT-3642	36 7/8"	38 3/4"	43 1/4"	45 1/8"	3
	(937)	(984)	(1099)	(1449)	
ASDT-3648	36 7/8"	38 3/4"	49 1/4"	51 1/16"	3
	(937)	(984)	(1251)	(1297)	
ASDT-3654	36 7/8"	38 3/4"	55 3/16"	57 1/16"	3
	(937)	(984)	(1402)	(1449)	
ASDT-3660	36 7/8"	38 3/4"	61 1/8"	63"	3
	(937)	(984)	(1553)	(1600)	
ASDT-3672	36 7/8"	38 3/4"	73 3/8"	75 1/4"	4
	(937)	(984)	(1864)	(1911)	
ASDT-3680	36 7/8"	38 3/4"	80 13/16"	82 11/16"	4
	(937)	(984)	(2053)	(2100)	
ASDT-3684	36 7/8"	38 3/4"	85 5/8"	87 1/2"	5
	(937)	(984)	(2175)	(2223)	
ASDT-3696	36 7/8"	38 3/4"	97 1/2"	99 3/8"	5
	(937)	(984)	(2477)	(2524)	
ASDT-36100	36 7/8"	38 3/4"	100 1/2"	102 3/8"	5
	(937)	(984)	(2553)	(2600)	
ASDT-36108	36 7/8"	38 3/4"	109 3/4"	111 5/8"	6
	(937)	(984)	(2788)	(2835)	
ASDT-36120	36 7/8"	38 3/4"	120 3/16"	122 1/16"	6
	(937)	(984)	(3053)	(3100)	
ASDT-36140	36 7/8"	38 3/4"	139 7/8"	141 3/4"	6
	(937)	(984)	(3553)	(3600)	

OPTIONS

- ☐ Custom drain diameter _____"
- ☐ Stainless steel drain pan
(see separate specification sheet)
- ☐ **Leak Eliminator™** drain connector
for above-grade installations
(see separate specification sheet)
- ☐ Yellow color fiberglass grating
- ☐ Stainless steel subway style grating
(see separate specification sheet)
- ☐ Lockdown correctional package
with 1½" (38) lockdown grates
- ☐ Custom sizes and options,
contact factory



4900 W. Electric Avenue • West Milwaukee, WI 53219
 Sales & Service: (P) 866.895.7264 • (F) 414.902.6564 • info@madetodrain.com
madetodrain.com

Made In

 U.S.A.