


Floor Troughs

Provide Dryer And Safer Kitchen Floors

AIA FILE #:

SPECIFICATION #:



Model DT-1848

FEATURES

- 14-gauge heavy-duty Type-304 stainless steel all-welded construction
- All seams welded and polished to match adjacent finish
- Unique grout locking holes around flange perimeter are standard
- 3½" (89) diameter drain connection
- Units 96" (2438) and larger have 2 drains
- Removable perforated stainless steel basket strainer
- Non-slip heavy-duty fiberglass ADA-compliant tread grating
- Stainless steel anchor straps
- Floor trough pitched 1" (25) to center drain
- 4" (102) standard depth
- NSF listed, made in U.S.A.

BENEFITS

- Prevents free standing water
- Minimizes slips and falls



Featured In



AutoQuotes KCL CADalog

Made To Drain


4900 W. Electric Avenue • West Milwaukee, WI 53219
Sales & Service: (P) 866.895.7264 • (F) 414.902.6564 • info@madetodrain.com

madetodrain.com


Floor Troughs

SPECIFICATIONS

Floor modules to be constructed of 14-gauge Type-304 stainless steel; designed in compliance and certified with all applicable NSF/ANSI 2 standards. Trough pans have continuous welded heavy duty construction with all exposed welds ground and polished to match adjacent finish. The floor trough pan is pitched 1" (25) to an integral recessed sump drain that includes 6" (152) diameter removable stainless steel strainer basket with 3½" (89) O.D. waste pipe (troughs 96" [2438] and longer supplied with two drains). Trough contains unique grout locking holes spaced every 1 3/8" (35) around outside perimeter. Troughs are supplied with light-weight removable anti-slip reinforced fiberglass tread grate(s) with 40% open area. Grates are non-conductive, corrosion-resistant, fire-retardant, and ADA-compliant.



TYPICAL DT FLOOR TROUGH SLAB ON GRADE INSTALLATION



PLAN VIEW

Floor Troughs

SALES & SERVICE: (P) 866.895.7264 • (F) 414.902.6564

MODEL INFORMATION

MODEL	WIDTH		LENGTH		# OF GRATES	MODEL	WIDTH		LENGTH		# OF GRATES
	W1	W2	L1	L2			W1	W2	L1	L2	
DT-1220	12 7/8"	14 3/4"	21 3/4"	23 5/8"	1	DT-1896	18 7/8"	20 3/4"	97 1/2"	99 3/8"	5
	(327)	(375)	(552)	(600)			(479)	(527)	(2477)	(2524)	
DT-1224	12 7/8"	14 3/4"	26 1/2"	28 3/8"	2	DT-18100	18 7/8"	20 3/4"	100 1/2"	102 3/8"	5
	(327)	(375)	(673)	(721)			(479)	(527)	(2553)	(2600)	
DT-1230	12 7/8"	14 3/4"	29 1/2"	31 3/8"	2	DT-18108	18 7/8"	20 3/4"	109 3/4"	11 5/8"	6
	(327)	(375)	(749)	(797)			(479)	(527)	(2788)	(2835)	
DT-1236	12 7/8"	14 3/4"	37"	38 7/8"	2	DT-18120	18 7/8"	20 3/4"	120 3/16"	122 1/16"	6
	(327)	(375)	(940)	(987)			(479)	(527)	(3053)	(3100)	
DT-1240	12 7/8"	14 3/4"	41 7/16"	43 5/16"	2	DT-18140	18 7/8"	20 3/4"	139 7/8"	141 3/4"	7
	(327)	(375)	(1053)	(1100)			(479)	(527)	(3553)	(3600)	
DT-1242	12 7/8"	14 3/4"	43 1/4"	45 1/8"	3	DT-2420	24 7/8"	26 3/4"	21 3/4"	23 5/8"	1
	(327)	(375)	(1099)	(1449)			(632)	(679)	(552)	(600)	
DT-1248	12 7/8"	14 3/4"	49 3/16"	51 1/16"	3	DT-2424	24 7/8"	26 3/4"	26 9/16"	28 3/8"	2
	(327)	(375)	(1249)	(1297)			(632)	(679)	(675)	(721)	
DT-1254	12 7/8"	14 3/4"	55 3/16"	57 1/16"	3	DT-2430	24 7/8"	26 3/4"	29 1/2"	31 3/8"	2
	(327)	(375)	(1402)	(1449)			(632)	(679)	(749)	(797)	
DT-1260	12 7/8"	14 3/4"	61 1/8"	63"	3	DT-2436	24 7/8"	26 3/4"	37"	38 7/8"	2
	(327)	(375)	(1553)	(1600)			(632)	(679)	(940)	(987)	
DT-1272	12 7/8"	14 3/4"	73 3/8"	75 1/4"	4	DT-2440	24 7/8"	26 3/4"	41 7/16"	43 5/16"	2
	(327)	(375)	(1864)	(1911)			(632)	(679)	(1053)	(1100)	
DT-1280	12 7/8"	14 3/4"	80 13/16"	82 11/16"	4	DT-2442	24 7/8"	26 3/4"	43 1/4"	45 1/8"	3
	(327)	(375)	(2053)	(2100)			(632)	(679)	(1099)	(1449)	
DT-1284	12 7/8"	14 3/4"	85 5/8"	87 1/2"	5	DT-2448	24 7/8"	26 3/4"	49 1/4"	51 1/16"	3
	(327)	(375)	(2175)	(2223)			(632)	(679)	(1251)	(1297)	
DT-1296	12 7/8"	14 3/4"	97 1/2"	99 3/8"	5	DT-2454	24 7/8"	26 3/4"	55 3/16"	57 1/16"	3
	(327)	(375)	(2477)	(2524)			(632)	(679)	(1402)	(1449)	
DT-12100	12 7/8"	14 3/4"	100 1/2"	102 3/8"	5	DT-2460	24 7/8"	26 3/4"	61 1/8"	63"	3
	(327)	(375)	(2553)	(2600)			(632)	(679)	(1553)	(1600)	
DT-12108	12 7/8"	14 3/4"	109 3/4"	111 5/8"	6	DT-2472	24 7/8"	26 3/4"	73 3/8"	75 1/4"	4
	(327)	(375)	(2788)	(2835)			(632)	(679)	(1864)	(1911)	
DT-12120	12 7/8"	14 3/4"	120 3/16"	122 1/16"	6	DT-2480	24 7/8"	26 3/4"	80 13/16"	82 11/16"	4
	(327)	(375)	(3053)	(3100)			(632)	(679)	(2053)	(2100)	
DT-12140	12 7/8"	14 3/4"	139 7/8"	141 3/4"	7	DT-2484	24 7/8"	26 3/4"	85 5/8"	87 1/2"	5
	(327)	(375)	(3553)	(3600)			(632)	(679)	(2175)	(2223)	
DT-1820	18 7/8"	20 3/4"	21 3/4"	23 5/8"	1	DT-2496	24 7/8"	26 3/4"	97 1/2"	99 3/8"	5
	(479)	(527)	(552)	(600)			(632)	(679)	(2477)	(2524)	
DT-1824	18 7/8"	20 3/4"	26 9/16"	28 3/8"	2	DT-24100	24 7/8"	26 3/4"	100 1/2"	102 3/8"	5
	(479)	(527)	(675)	(721)			(632)	(679)	(2553)	(2600)	
DT-1830	18 7/8"	20 3/4"	29 1/2"	31 3/8"	2	DT-24108	24 7/8"	26 3/4"	109 3/4"	111 5/8"	6
	(479)	(527)	(749)	(797)			(632)	(679)	(2788)	(2835)	
DT-1836	18 7/8"	20 3/4"	37"	38 7/8"	2	DT-24120	24 7/8"	26 3/4"	120 3/16"	122 1/16"	6
	(479)	(527)	(940)	(987)			(632)	(679)	(3053)	(3100)	
DT-1840	18 7/8"	20 3/4"	41 7/16"	43 5/16"	2	DT-24140	24 7/8"	26 3/4"	139 7/8"	141 3/4"	7
	(479)	(527)	(1053)	(1100)			(632)	(679)	(3553)	(3600)	
DT-1842	18 7/8"	20 3/4"	43 1/4"	45 1/8"	3	DT-3020	30 7/8"	32 3/4"	21 3/4"	23 5/8"	1
	(479)	(527)	(1099)	(1449)			(784)	(832)	(552)	(600)	
DT-1848	18 7/8"	20 3/4"	49 1/4"	51 1/16"	3	DT-3024	30 7/8"	32 3/4"	26 9/16"	28 3/8"	2
	(479)	(527)	(1251)	(1297)			(784)	(832)	(675)	(721)	
DT-1854	18 7/8"	20 3/4"	55 3/16"	57 1/16"	3	DT-3030	30 7/8"	32 3/4"	29 1/2"	31 3/8"	2
	(479)	(527)	(1402)	(1449)			(784)	(832)	(749)	(797)	
DT-1860	18 7/8"	20 3/4"	61 1/8"	63"	3	DT-3036	30 7/8"	32 3/4"	37"	38 7/8"	2
	(479)	(527)	(1553)	(1600)			(784)	(832)	(940)	(987)	
DT-1872	18 7/8"	20 3/4"	73 3/8"	75 1/4"	4	DT-3040	30 7/8"	32 3/4"	41 7/16"	43 5/16"	2
	(479)	(527)	(2052)	(2100)			(784)	(832)	(1053)	(1100)	
DT-1880	18 7/8"	20 3/4"	80 13/16"	82 11/16"	4	DT-3042	30 7/8"	32 3/4"	43 1/4"	45 1/8"	3
	(479)	(527)	(1864)	(1911)			(784)	(832)	(1099)	(1449)	
DT-1884	18 7/8"	20 3/4"	85 5/8"	87 1/2"	5	DT-3048	30 7/8"	32 3/4"	49 1/4"	51 1/16"	3
	(479)	(527)	(2175)	(2223)			(784)	(832)	(1251)	(1297)	

more models →

Floor Troughs

PROJECT #: _____

ITEM #: _____

MODEL INFORMATION *(continued)*

MODEL	WIDTH		LENGTH		# OF GRATES	MODEL	WIDTH		LENGTH		# OF GRATES
	W1	W2	L1	L2			W1	W2	L1	L2	
DT-3054	30 7/8"	32 3/4"	55 3/16"	57 1/16"	3	DT-3640	36 7/8"	38 3/4"	41 7/16"	43 5/16"	2
	(784)	(832)	(1402)	(1449)			(937)	(984)	(1053)	(1100)	
DT-3060	30 7/8"	32 3/4"	61 1/8"	63"	3	DT-3642	36 7/8"	38 3/4"	43 1/4"	45 1/8"	3
	(784)	(832)	(1553)	(1600)			(937)	(984)	(1099)	(1449)	
DT-3072	30 7/8"	32 3/4"	73 3/8"	75 1/4"	4	DT-3648	36 7/8"	38 3/4"	49 1/4"	51 1/16"	3
	(784)	(832)	(1864)	(1911)			(937)	(984)	(1251)	(1297)	
DT-3080	30 7/8"	32 3/4"	80 13/16"	82 11/16"	4	DT-3654	36 7/8"	38 3/4"	55 3/16"	57 1/16"	3
	(784)	(832)	(2053)	(2100)			(937)	(984)	(1402)	(1449)	
DT-3084	30 7/8"	32 3/4"	85 5/8"	87 1/2"	5	DT-3660	36 7/8"	38 3/4"	61 1/8"	63"	3
	(784)	(832)	(2175)	(2223)			(937)	(984)	(1553)	(1600)	
DT-3096	30 7/8"	32 3/4"	97 1/2"	99 3/8"	5	DT-3672	36 7/8"	38 3/4"	73 3/8"	75 1/4"	4
	(784)	(832)	(2477)	(2524)			(937)	(984)	(1864)	(1911)	
DT-30100	30 7/8"	32 3/4"	100 1/2"	102 3/8"	5	DT-3680	36 7/8"	38 3/4"	80 13/16"	82 11/16"	4
	(784)	(832)	(2553)	(2600)			(937)	(984)	(2053)	(2100)	
DT-30108	30 7/8"	32 3/4"	109 3/4"	111 5/8"	6	DT-3684	36 7/8"	38 3/4"	85 5/8"	87 1/2"	5
	(784)	(832)	(2788)	(2835)			(937)	(984)	(2175)	(2223)	
DT-30120	30 7/8"	32 3/4"	120 3/16"	122 1/16"	6	DT-3696	36 7/8"	38 3/4"	97 1/2"	99 3/8"	5
	(784)	(832)	(3053)	(3100)			(937)	(984)	(2477)	(2524)	
DT-30140	30 7/8"	32 3/4"	139 7/8"	141 3/4"	7	DT-36100	36 7/8"	38 3/4"	100 1/2"	102 3/8"	5
	(784)	(832)	(3553)	(3600)			(937)	(984)	(2553)	(2600)	
DT-3620	36 7/8"	38 3/4"	21 3/4"	23 5/8"	1	DT-36108	36 7/8"	38 3/4"	109 3/4"	111 5/8"	6
	(937)	(984)	(552)	(600)			(937)	(984)	(2788)	(2835)	
DT-3624	36 7/8"	38 3/4"	26 9/16"	28 3/8"	2	DT-36120	36 7/8"	38 3/4"	120 3/16"	122 1/16"	6
	(937)	(984)	(675)	(721)			(937)	(984)	(3053)	(3100)	
DT-3630	36 7/8"	38 3/4"	29 1/2"	31 3/8"	2	DT-36140	36 7/8"	38 3/4"	139 7/8"	141 3/4"	7
	(937)	(984)	(749)	(797)			(937)	(984)	(3553)	(3600)	
DT-3636	36 7/8"	38 3/4"	37"	38 7/8"	2						
	(937)	(984)	(940)	(987)							

OPTIONS

- ☐ Drain diameter _____"
- ☐ Anti-splash
(see separate specification sheet)
- ☐ Stainless steel drain pan
(see separate specification sheet)
- ☐ Leak Eliminator™ drain connector
for above-grade installations
(see separate specification sheet)
- ☐ Yellow color fiberglass grating
- ☐ Stainless steel subway style grating
(see separate specification sheet)
- ☐ 2" (51) shallow depth
- ☐ 6" (152) depth
- ☐ Lockdown correctional package
with 1½" (38) lockdown grates
- ☐ Custom sizes and options,
contact factory



4900 W. Electric Avenue • West Milwaukee, WI 53219

Sales & Service: (P) 866.895.7264 • (F) 414.902.6564

madetodrain.com

Made In



U.S.A.